

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	(bytecode or code or binary) same (encrypt\$5 adj10 retransmi\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 13:27
L2	9	1 and decrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 13:27
L3	8	((@ad<="20001221" or @rlad<="20001221") and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:12
L4	5	("2343022").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:04
L5	1	("GB 2343022").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:11
L6	73	("713"/\$) and ((distribut\$5 parallel pipelin\$4 partitioned) near4 (compiler compilation compiling))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:12
L7	21	((@ad<="20001221" or @rlad<="20001221") and 6 and (encrypt\$4 or decrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 14:20
S1	3326	((@ad<="20001221" or @rlad<="20001221") and (encryp\$6 same (file or code or source or software)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 17:00
S2	94	((@ad<="20001221" or @rlad<="20001221") and (encryp\$6 same (file or code or source or software)).ab.) and (decrypt\$4 and ((reduc\$5 or small\$4 or decreas\$3) near3 size))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 08:42

S3	53	((@ad<="20001221" or @rlad<="20001221") and (encryp\$6 same (file or code or source or software)).ab.) and ((intermediate adj2 (source or code or representation or form)) or IR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 08:42
S4	5	(((@ad<="20001221" or @rlad<="20001221") and (encryp\$6 same (file or code or source or software)).ab.) and (decrypt\$4 and ((reduc\$5 or small\$4 or decreas\$3) near3 size))) and ((intermediate adj2 (source or code or representation or form)) or IR)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/14 13:28
S5	17	(((@ad<="20001221" or @rlad<="20001221") and (encryp\$6 same (file or code or source or software)).ab.) and ((intermediate adj2 (source or code or representation or form)) or IR)) and (decrypt\$4 and intermediate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 11:34
S6	20	((source and intermediate) adj2 code) and compiler and (encrypt\$4 and decrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 08:58
S7	1	(((((@ad<="20001221" or @rlad<="20001221") and (encryp\$6 same (file or code or source or software)).ab.) and ((intermediate adj2 (source or code or representation or form)) or IR)) and (decrypt\$4 and intermediate)) and ((@ad<="20001221" or @rlad<="20001221") and (((source and intermediate) adj2 code) and compiler and (encrypt\$4 and decrypt\$4))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 08:58
S8	17	((@ad<="20001221" or @rlad<="20001221") and (((source and intermediate) adj2 code) and compiler and (encrypt\$4 and decrypt\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 11:34

S9	17	(((@ad<="20001221" or @rlad<="20001221") and (encrypt\$6 same (file or code or source or software)).ab.) and ((intermediate adj2 (source or code or representation or form)) or IR)) and (decrypt\$4 and intermediate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 11:43
S10	17	((@ad<="20001221" or @rlad<="20001221") and (((source and intermediate) adj2 code) and compiler and (encrypt\$4 and decrypt\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 11:34
S11	16	(((((@ad<="20001221" or @rlad<="20001221") and (encrypt\$6 same (file or code or source or software)).ab.) and ((intermediate adj2 (source or code or representation or form)) or IR)) and (decrypt\$4 and intermediate)) or ((@ad<="20001221" or @rlad<="20001221") and (((source and intermediate) adj2 code) and compiler and (encrypt\$4 and decrypt\$4)))) and ((source adj code) and compil\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 11:35
S12	5	(((((@ad<="20001221" or @rlad<="20001221") and (encrypt\$6 same (file or code or source or software)).ab.) and ((intermediate adj2 (source or code or representation or form)) or IR)) and (decrypt\$4 and intermediate)) or ((@ad<="20001221" or @rlad<="20001221") and (((source and intermediate) adj2 code) and compiler and (encrypt\$4 and decrypt\$4)))) and encrypt\$5 and "717"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 11:35

S13	11	(((((@ad<="20001221" or @rlad<="20001221") and (encrypt\$6 same (file or code or source or software)).ab.) and ((intermediate adj2 (source or code or representation or form)) or IR)) and (decrypt\$4 and intermediate)) or ((@ad<="20001221" or @rlad<="20001221") and (((source and intermediate) adj2 code) and compiler and (encrypt\$4 and decrypt\$4)))) and ((source adj code) and compil\$4)) not ((((@ad<="20001221" or @rlad<="20001221") and (encrypt\$6 same (file or code or source or software)).ab.) and ((intermediate adj2 (source or code or representation or form)) or IR)) and (decrypt\$4 and intermediate)) or ((@ad<="20001221" or @rlad<="20001221") and (((source and intermediate) adj2 code) and compiler and (encrypt\$4 and decrypt\$4)))) and encrypt\$5 and "717"/\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 11:37
S14	0	((decrypt\$4 or decompress\$4) adj3 (before adj2 compil\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 11:38
S15	3	((decrypt\$4 or decompress\$4) same ("before" or "then") adj2 compil\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 11:41
S16	11	(compil\$5 same (after adj2 (decrypt\$4 or decompress\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 11:42
S17	7	((compil\$5 same (after adj2 (decrypt\$4 or decompress\$5)))) and (@ad<="20001221" or @rlad<="20001221")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 11:54
S18	1	((compress\$4 or encrypt\$4) adj2 (intermediate adj code)) and ((decompress\$4 or decrypt\$4) same (compil\$4 or link\$4 or JIT))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 11:53

S19	26	((compress\$4 or encrypt\$4) adj2 (intermediate adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 11:53
S20	735	("intermediate code" or IR or beans or Java) and ((decompress\$4 or decrypt\$4) same (compil\$4 or link\$4 or JIT))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 11:54
S21	517	((("intermediate code" or IR or beans or Java) and ((decompress\$4 or decrypt\$4) same (compil\$4 or link\$4 or JIT))) and (@ad<="20001221" or @rlad<="20001221"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 09:24
S22	21	((((compress\$4 or encrypt\$4) adj2 (intermediate adj code))) and (@ad<="20001221" or @rlad<="20001221"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 11:57
S23	6	(encrypt\$3 near5 (intermediate adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 13:37
S24	3	("4200770" "5153919" "5222140").PN.	USPAT	OR	ON	2004/03/16 12:02
S25	29	on-the-fly adj2 decrypt\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 12:06
S26	23	(on-the-fly adj2 decrypt\$4) and (@ad<="20001221" or @rlad<="20001221"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 14:18
S27	12	((on-the-fly adj2 decrypt\$4) and (@ad<="20001221" or @rlad<="20001221")) and (((("intermediate code" or IR or beans or Java) and ((decompress\$4 or decrypt\$4) same (compil\$4 or link\$4 or JIT))) and (@ad<="20001221" or @rlad<="20001221")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 12:06

S28	241	("3573747" "3609697" "3796830" "3798359" "3798360" "3798605" "3806882" "3829833" "3906448" "3911397" "3924065" "3931504" "3946220" "3956615" "3958081" "3970992" "4048619" "4071911" "4112421" "4120030" "4163280" "4168396" "4196310" "4200913" "4209787" "4217588" "4220991" "4232193" "4232317" "4236217" "4253157" "4262329" "4265371" "4270182" "4278837" "4305131" "4306289" "4309569" "4319079" "4323921" "4328544" "4337483" "4361877" "4375579" "4433207" "4434464" "4442486" "4446519" "4454594" "4458315" "4462076" "4462078" "4465901" "4471163" "4484217" "4494156" "4513174" "4528588" "4528643" "4553252" "4558176" "4558413" "4562306" "4562495" "4577289" "4584641" "4588991" "4589064" "4593353" "4593376" "4595950" "4597058" "4634807" "4644493" "4646234" "4652990" "4658093" "4670857" "4672572" "4677434" "4680731" "4683553" "4685056" "4688169" "4691350" "4696034" "4700296" "4701846" "4712238" "4713753" "4740890" "4747139" "4757533" "4757534" "4768087" "4791565" "4796181" "4799156" "4807288" "4817140" "4823264" "4827508" "4858121" "4864494" "4866769" "4868877" "4903296" "4924378" "4930073" "4949187" "4975647" "4977594" "4999806" "5001752" "5003200" "5003200" "5010571" "5023907" "5047928" "5049085"	USPAT	OR	ON	2004/03/16 13:13
-----	-----	---	-------	----	----	------------------

S29	1	((("3573747" "3609697" "3796830" "3798359" "3798360" "3798605" "3806882" "3829833" "3906448" "3911397" "3924065" "3931504" "3946220" "3956615" "3958081" "3970992" "4048619" "4071911" "4112421" "4120030" "4163280" "4168396" "4196310" "4200913" "4209787" "4217588" "4220991" "4232193" "4232317" "4236217" "4253157" "4262329" "4265371" "4270182" "4278837" "4305131" "4306289" "4309569" "4319079" "4323921" "4328544" "4337483" "4361877" "4375579" "4433207" "4434464" "4442486" "4446519" "4454594" "4458315" "4462076" "4462078" "4465901" "4471163" "4484217" "4494156" "4513174" "4528588" "4528643" "4553252" "4558176" "4558413" "4562306" "4562495" "4577289" "4584641" "4588991" "4589064" "4593353" "4593376" "4595950" "4597058" "4634807" "4644493" "4646234" "4652990" "4658093" "4670857" "4672572" "4677434" "4680731" "4683553" "4685056" "4688169" "4691350" "4696034" "4700296" "4701846" "4712238" "4713753" "4740890" "4747139" "4757533" "4757534" "4768087" "4791565" "4796181" "4799156" "4807288" "4817140" "4823264" "4827508" "4858121" "4864494" "4866769" "4868877" "4903296" "4924378" "4930073" "4949187" "4975647" "4977594" "4999806" "5001752" "5005105" "5005200" "5010571" "5023907" "5047928" "5048085"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 13:15
-----	---	---	---	----	----	------------------

S30	1	((("3573747" "3609697" "3796830" "3798359" "3798360" "3798605" "3806882" "3829833" "3906448" "3911397" "3924065" "3931504" "3946220" "3956615" "3958081" "3970992" "4048619" "4071911" "4112421" "4120030" "4163280" "4168396" "4196310" "4200913" "4209787" "4217588" "4220991" "4232193" "4232317" "4236217" "4253157" "4262329" "4265371" "4270182" "4278837" "4305131" "4306289" "4309569" "4319079" "4323921" "4328544" "4337483" "4361877" "4375579" "4433207" "4434464" "4442486" "4446519" "4454594" "4458315" "4462076" "4462078" "4465901" "4471163" "4484217" "4494156" "4513174" "4528588" "4528643" "4553252" "4558176" "4558413" "4562306" "4562495" "4577289" "4584641" "4588991" "4589064" "4593353" "4593376" "4595950" "4597058" "4634807" "4644493" "4646234" "4652990" "4658093" "4670857" "4672572" "4677434" "4680731" "4683553" "4685056" "4688169" "4691350" "4696034" "4700296" "4701846" "4712238" "4713753" "4740890" "4747139" "4757533" "4757534" "4768087" "4791565" "4796181" "4799156" "4807288" "4817140" "4823264" "4827508" "4858121" "4864494" "4866769" "4868877" "4903296" "4924378" "4930073" "4949187" "4975647" "4977594" "4999806" "5001752" "5009243" "5009200" "5010571" "5023907" "5047938" "5048085"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 13:17
-----	---	---	---	----	----	------------------

S31	61	"5754849".URPN.	USPAT	OR	ON	2004/03/16 13:17
S32	21	"5754849".URPN. and (decompress\$4 or decrypt\$4) and (link\$4 or compil\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 13:22
S33	4	("5754849".URPN. and (decompress\$4 or decrypt\$4) and (link\$4 or compil\$4)) not InterTrust.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 16:17
S34	59	(Java or link\$4) and ((encrypt\$4 or compress\$4) near7 (intermediate adj2 (form or code or representation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 13:53
S35	17	((Java or link\$4) and ((encrypt\$4 or compress\$4) near7 (intermediate adj2 (form or code or representation))) not (((Java or link\$4) and ((encrypt\$4 or compress\$4) near7 (intermediate adj2 (form or code or representation))) and (compil\$4 or JIT or "717"/\$))) and (decrypt\$4 or decompress\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 14:27
S36	18	((Java or link\$4) and ((encrypt\$4 or compress\$4) near7 (intermediate adj2 (form or code or representation))) and (compil\$4 or JIT or "717"/\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 16:40
S37	18	((Java or link\$4) and ((encrypt\$4 or compress\$4) near7 (intermediate adj2 (form or code or representation))) and (compil\$4 or JIT or "717"/\$)) and (compress\$5 or encrypt\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 16:14
S38	13	((encrypt\$4 or compress\$4) near3 bytecode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 16:05
S39	8	((encrypt\$4 or compress\$4) near3 bytecode)) and (@ad<="20001221" or @rlad<="20001221")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 16:05

S41	42	(((("3573747" "3609697" "3796830" "3798359" "3798360" "3798605" "3806882" "3829833" "3906448" "3911397" "3924065" "3931504" "3946220" "3956615" "3958081" "3970992" "4048619" "4071911" "4112421" "4120030" "4163280" "4168396" "4196310" "4200913" "4209787" "4217588" "4220991" "4232193" "4232317" "4236217" "4253157" "4262329" "4265371" "4270182" "4278837" "4305131" "4306289" "4309569" "4319079" "4323921" "4328544" "4337483" "4361877" "4375579" "4433207" "4434464" "4442486" "4446519" "4454594" "4458315" "4462076" "4462078" "4465901" "4471163" "4484217" "4494156" "4513174" "4528588" "4528643" "4553252" "4558176" "4558413" "4562306" "4562495" "4577289" "4584641" "4588991" "4589064" "4593353" "4593376" "4595950" "4597058" "4634807" "4644493" "4646234" "4652990" "4658093" "4670857" "4672572" "4677434" "4680731" "4683553" "4685056" "4688169" "4691350" "4696034" "4700296" "4701846" "4712238" "4713753" "4740890" "4747139" "4757533" "4757534" "4768087" "4791565" "4796181" "4799156" "4807288" "4817140" "4823264" "4827508" "4858121" "4864494" "4866769" "4868877" "4903296" "4924378" "4930073" "4949187" "4975647" "4977594" "4999806" "5001752" "5004139" "5005200" "5010571" "5023907" "5027028" "5028085"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 15:31
Search History 1/14/05 3:24:39 PM Page 14 C:\APPS\EAST\Workspace\03736860.wsp						

S42	7	(((("3573747" "3609697" "3796830" "3798359" "3798360" "3798605" "3806882" "3829833" "3906448" "3911397" "3924065" "3931504" "3946220" "3956615" "3958081" "3970992" "4048619" "4071911" "4112421" "4120030" "4163280" "4168396" "4196310" "4200913" "4209787" "4217588" "4220991" "4232193" "4232317" "4236217" "4253157" "4262329" "4265371" "4270182" "4278837" "4305131" "4306289" "4309569" "4319079" "4323921" "4328544" "4337483" "4361877" "4375579" "4433207" "4434464" "4442486" "4446519" "4454594" "4458315" "4462076" "4462078" "4465901" "4471163" "4484217" "4494156" "4513174" "4528588" "4528643" "4553252" "4558176" "4558413" "4562306" "4562495" "4577289" "4584641" "4588991" "4589064" "4593353" "4593376" "4595950" "4597058" "4634807" "4644493" "4646234" "4652990" "4658093" "4670857" "4672572" "4677434" "4680731" "4683553" "4685056" "4688169" "4691350" "4696034" "4700296" "4701846" "4712238" "4713753" "4740890" "4747139" "4757533" "4757534" "4768087" "4791565" "4796181" "4799156" "4807288" "4817140" "4823264" "4827508" "4858121" "4864494" "4866769" "4868877" "4903296" "4924378" "4930073" "4949187" "4975647" "4977594" "4999806" "5001752" "5005200" "5005200" "5010571" "5023907" "5047929" "5048085"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 15:33
-----	---	--	---	----	----	------------------

S43	0	(distribut\$4 same ((encrypt\$\$ or compress\$\$) near3 bytecode)) and ((decompress\$4 or decrypt\$4 or decod\$4) same DLL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 16:15
S44	0	(distribut\$4 same ((encrypt\$\$ or compress\$\$) near3 bytecode)) and ((decompress\$4 or decrypt\$4 or decod\$4) same (JIT or "virtual machine"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 16:08
S45	1	(distribut\$4 same ((encrypt\$\$ or compress\$\$) near3 bytecode)) and ((JIT or "virtual machine"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 16:08
S46	2	(Camber or Sackman).in. and bytecode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 16:09

S48	0	((distribut\$4 and ((encrypt\$\$ or compress\$\$) near3 bytecode)) and "5754849".URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 16:15
S49	0	((encrypt\$\$ or compress\$\$) near3 bytecode) and "5754849".URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 16:15
S50	13	((encrypt\$3 or compress\$4) near3 code) and "5754849".URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 16:42
S51	0	((((encrypt\$3 or compress\$4) near3 code) and "5754849".URPN.) not InterTrust.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 16:17
S52	45	"5754849".URPN. and (compil\$4 or JIT or "717"/\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 16:40
S53	0	((((encrypt\$3 or compress\$4) near3 code) and ("5754849".URPN. and (compil\$4 or JIT or "717"/\$))) and ((intermediate or byte) adj2 code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 16:41
S54	11	((encrypt\$3 or compress\$4) near3 code) and ("5754849".URPN. and (compil\$4 or JIT or "717"/\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 16:41
S55	25	(US-6594761-\$ or US-3656178-\$ or US-6343354-\$ or US-6094634-\$ or US-6427140-\$ or US-6253193-\$ or US-5754849-\$ or US-5530752-\$ or US-4864494-\$ or US-4120030-\$ or US-6226746-\$ or US-6157721-\$ or US-6536043-\$ or US-5778102-\$ or US-5768535-\$ or US-6151618-\$).did. or (US-20030221121-\$ or US-20030120557-\$ or US-20020073336-\$ or US-20010037450-\$ or US-20010044901-\$ or US-20030135867-\$ or US-20030182572-\$ or US-20040039926-\$).did. or (JP-62177638-\$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2004/03/17 09:00

S56	8	((US-6594761-\$ or US-3656178-\$ or US-6343354-\$ or US-6094634-\$ or US-6427140-\$ or US-6253193-\$ or US-5754849-\$ or US-5530752-\$ or US-4864494-\$ or US-4120030-\$ or US-6226746-\$ or US-6157721-\$ or US-6536043-\$ or US-5778102-\$ or US-5768535-\$ or US-6151618-\$).did. or (US-20030221121-\$ or US-20030120557-\$ or US-20020073336-\$ or US-20010037450-\$ or US-20010044901-\$ or US-20030135867-\$ or US-20030182572-\$ or US-20040039926-\$).did. or (JP-62177638-\$).did.) and (bytecode or (intermediate adj (code or storage)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 09:11
S57	4	Lambert.in. and tamperproof\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 09:13
S58	1	(decrypt\$4 same (Java near5 archive)) and (bytecode or "intermediate code")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 09:16
S59	18530	((buffer or queue) same (packet or ((encrypted or encoded or compressed) near8 (data or content or beans or binar\$2 or program or software))))) and (decrypt\$3 or decompress\$4 or decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 10:07
S60	4634	((((buffer or queue) same (packet or ((encrypted or encoded or compressed) near8 (data or content or beans or binar\$2 or program or software))))) and (decrypt\$3 or decompress\$4 or decod\$3)) and (distribut\$4 near8 (content or data or software or executable or binary or beans or program or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 09:21

S61	373	(((buffer or queue) same (packet or ((encrypted or encoded or compressed) near8 (data or content or beans or binar\$2 or program or software)))) and (decrypt\$3 or decompress\$4 or decod\$3)) and (distribut\$4 near8 (content or data or software or executable or binary or beans or program or code))) and (queue or buffer or (temporary adj2 storage))) and (compiler or linker or JIT or "object code")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 09:23
S62	235	(((buffer or queue) same (packet or ((encrypted or encoded or compressed) near8 (data or content or beans or binar\$2 or program or software)))) and (decrypt\$3 or decompress\$4 or decod\$3)) and (distribut\$4 near8 (content or data or software or executable or binary or beans or program or code))) and (queue or buffer or (temporary adj2 storage))) and (compiler or linker or JIT or "object code")) and ((queue or buffer or (temporary adj2 storage))) same ((decrypt\$3 or decompress\$4 or decod\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 09:24
S63	517	((("intermediate code" or IR or beans or Java) and ((decompress\$4 or decrypt\$4) same (compil\$4 or link\$4 or JIT))) and (@ad<="20001221" or @rlad<="20001221"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 10:09
S64	129	((("intermediate code" or IR or beans or Java) and ((decompress\$4 or decrypt\$4) same (compil\$4 or link\$4 or JIT))) and (@ad<="20001221" or @rlad<="20001221")) and compiler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 09:25

S65	25	((((((buffer or queue) same (packet or ((encrypted or encoded or compressed) near8 (data or content or beans or binar\$2 or program or software)))) and (decrypt\$3 or decompress\$4 or decod\$3)) and (distribut\$4 near8 (content or data or software or executable or binary or beans or program or code))) and (queue or buffer or (temporary adj2 storage))) and (compiler or linker or JIT or "object code")) and ((queue or buffer or (temporary adj2 storage))) same ((decrypt\$3 or decompress\$4 or decod\$3))) and (((("intermediate code" or IR or beans or Java) and ((decompress\$4 or decrypt\$4) same (compil\$4 or link\$4 or JIT))) and (@ad<="20001221" or @rlad<="20001221")) and compiler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 09:45
S66	2	("20020080871").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/17 09:45
S67	3176	(((buffer or queue) same (packet or ((encrypted or encoded or compressed) near8 (data or content or beans or binar\$2 or program or software)))) and (decrypt\$3 or decompress\$4 or decod\$3)) and (buffer same ((encrypt\$4 or compress\$4) and (decrypt\$4 or decompress\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 10:08

S68	877	(((buffer or queue) same (packet or ((encrypted or encoded or compressed) near8 (data or content or beans or binar\$2 or program or software)))) and (decrypt\$3 or decompress\$4 or decod\$3)) and (buffer same ((encrypt\$4 or compress\$4) and (decrypt\$4 or decompress\$4)))) and (((buffer or queue) same (packet or ((encrypted or encoded or compressed) near8 (data or content or beans or binar\$2 or program or software)))) and (decrypt\$3 or decompress\$4 or decod\$3)) and (distribut\$4 near8 (content or data or software or executable or binary or beans or program or code))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 10:08
S69	693	(((buffer or queue) same (packet or ((encrypted or encoded or compressed) near8 (data or content or beans or binar\$2 or program or software)))) and (decrypt\$3 or decompress\$4 or decod\$3)) and (buffer same ((encrypt\$4 or compress\$4) and (decrypt\$4 or decompress\$4)))) and (((buffer or queue) same (packet or ((encrypted or encoded or compressed) near8 (data or content or beans or binar\$2 or program or software)))) and (decrypt\$3 or decompress\$4 or decod\$3)) and (distribut\$4 near8 (content or data or software or executable or binary or beans or program or code)))) and (@ad<="20001221" or @rlad<="20001221")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 10:35

S70	30	((("intermediate code" or IR or beans or Java) and ((decompress\$4 or decrypt\$4) same (compil\$4 or link\$4 or JIT))) and (@ad<="20001221" or @rlad<="20001221")) and ((((((buffer or queue) same (packet or ((encrypted or encoded or compressed) near8 (data or content or beans or binar\$2 or program or software)))) and (decrypt\$3 or decompress\$4 or decod\$3)) and (buffer same ((encrypt\$4 or compress\$4) and (decrypt\$4 or decompress\$4)))) and (((((buffer or queue) same (packet or ((encrypted or encoded or compressed) near8 (data or content or beans or binar\$2 or program or software)))) and (decrypt\$3 or decompress\$4 or decod\$3)) and (distribut\$4 near8 (content or data or software or executable or binary or beans or program or code)))) and (@ad<="20001221" or @rlad<="20001221"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 10:09
S71	19	((("intermediate code" or IR or beans or Java) and ((decompress\$4 or decrypt\$4) same (compil\$4 or link\$4 or JIT))) and (@ad<="20001221" or @rlad<="20001221")) and ((((((buffer or queue) same (packet or ((encrypted or encoded or compressed) near8 (data or content or beans or binar\$2 or program or software)))) and (decrypt\$3 or decompress\$4 or decod\$3)) and (buffer same ((encrypt\$4 or compress\$4) and (decrypt\$4 or decompress\$4)))) and (((((buffer or queue) same (packet or ((encrypted or encoded or compressed) near8 (data or content or beans or binar\$2 or program or software)))) and (decrypt\$3 or decompress\$4 or decod\$3)) and (distribut\$4 near8 (content or data or software or executable or binary or beans or program or code)))) and (@ad<="20001221" or @rlad<="20001221")) not InterTrust.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 10:30

S72	16	((((("intermediate code" or IR or beans or Java) and ((decompress\$4 or decrypt\$4) same (compil\$4 or link\$4 or JIT))) and (@ad<="20001221" or @rlad<="20001221")) and ((((((buffer or queue) same (packet or ((encrypted or encoded or compressed) near8 (data or content or beans or binar\$2 or program or software))))) and (decrypt\$3 or decompress\$4 or decod\$3)) and (buffer same ((encrypt\$4 or compress\$4) and (decrypt\$4 or decompress\$4)))) and (((((buffer or queue) same (packet or ((encrypted or encoded or compressed) near8 (data or content or beans or binar\$2 or program or software))))) and (decrypt\$3 or decompress\$4 or decod\$3)) and (distribut\$4 near8 (content or data or software or executable or binary or beans or program or code)))) and (@ad<="20001221" or @rlad<="20001221")) not InterTrust.as.) not Index.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 10:34
S73	0	(line-by-line near5 (decrypt\$5 or decompress\$4)) and ((object adj code) or bytecode) and compiler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 10:35
S74	14	(line-by-line near5 (decrypt\$5 or decompress\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 10:35

S75	0	(((line-by-line near5 (decrypt\$5 or decompress\$4))) and (@ad<="20001221" or @rlad<="20001221")) and ((((((buffer or queue) same (packet or ((encrypted or encoded or compressed) near8 (data or content or beans or binar\$2 or program or software)))) and (decrypt\$3 or decompress\$4 or decod\$3)) and (distribut\$4 near8 (content or data or software or executable or binary or beans or program or code))) and (queue or buffer or (temporary adj2 storage))) and (compiler or linker or JIT or "object code")) and ((queue or buffer or (temporary adj2 storage))) same ((decrypt\$3 or decompress\$4 or decod\$3))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 10:36
S76	1	(((line-by-line near5 (decrypt\$5 or decompress\$4))) and (@ad<="20001221" or @rlad<="20001221")) and ((((((buffer or queue) same (packet or ((encrypted or encoded or compressed) near8 (data or content or beans or binar\$2 or program or software)))) and (decrypt\$3 or decompress\$4 or decod\$3)) and (buffer same ((encrypt\$4 or compress\$4) and (decrypt\$4 or decompress\$4)))) and (((buffer or queue) same (packet or ((encrypted or encoded or compressed) near8 (data or content or beans or binar\$2 or program or software)))) and (decrypt\$3 or decompress\$4 or decod\$3)) and (distribut\$4 near8 (content or data or software or executable or binary or beans or program or code))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 10:36
S77	5	"5490088".URPN.	USPAT	OR	ON	2004/03/17 10:37

S78	21	("4578765" "4654867" "4697281" "4727429" "4882765" "4933770" "5127013" "5235433" "5261069" "5274802" "5297208" "5361143" "5367698" "5369501" "5377017" "5381346" "5387981" "5388196" "5408619" "5434994" "5446740").PN.	USPAT	OR	ON	2004/03/17 10:40
S79	13	((line-by-line near5 (decrypt\$5 or decompress\$4))) and (@ad<="20001221" or @rlad<="20001221")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 10:42
S80	29	(US-6594761-\$ or US-3656178-\$ or US-6343354-\$ or US-6094634-\$ or US-6427140-\$ or US-6253193-\$ or US-5754849-\$ or US-5530752-\$ or US-4864494-\$ or US-4120030-\$ or US-6226746-\$ or US-6157721-\$ or US-6536043-\$ or US-5778102-\$ or US-5768535-\$ or US-6151618-\$ or US-6665796-\$ or US-6065046-\$ or US-5490088-\$ or US-5446740-\$).did. or (US-20030221121-\$ or US-20030120557-\$ or US-20020073336-\$ or US-20010037450-\$ or US-20010044901-\$ or US-20030135867-\$ or US-20030182572-\$ or US-20040042506-\$).did. or (US-20020080871-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/03/17 12:33

S81	3	((US-6594761-\$ or US-3656178-\$ or US-6343354-\$ or US-6094634-\$ or US-6427140-\$ or US-6253193-\$ or US-5754849-\$ or US-5530752-\$ or US-4864494-\$ or US-4120030-\$ or US-6226746-\$ or US-6157721-\$ or US-6536043-\$ or US-5778102-\$ or US-5768535-\$ or US-6151618-\$ or US-6665796-\$ or US-6065046-\$ or US-5490088-\$ or US-5446740-\$).did. or (US-20030221121-\$ or US-20030120557-\$ or US-20020073336-\$ or US-20010037450-\$ or US-20010044901-\$ or US-20030135867-\$ or US-20030182572-\$ or US-20040042506-\$).did. or (US-20020080871-\$).did.) and (on-the-fly near2 (decrypt\$4 or decompress\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 10:54
S82	2	("5699428").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/17 10:54
S83	53	(US-6594761-\$ or US-3656178-\$ or US-6343354-\$ or US-6094634-\$ or US-6427140-\$ or US-6253193-\$ or US-5754849-\$ or US-5530752-\$ or US-4864494-\$ or US-4120030-\$ or US-6226746-\$ or US-6157721-\$ or US-6536043-\$ or US-5778102-\$ or US-5768535-\$ or US-6151618-\$ or US-6665796-\$ or US-6065046-\$ or US-5490088-\$ or US-5446740-\$).did. or (US-20030221121-\$ or US-20030120557-\$ or US-20020073336-\$ or US-20010037450-\$ or US-20010044901-\$ or US-20030135867-\$ or US-20030182572-\$ or US-20040042506-\$).did. or (US-20020080871-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/03/17 12:33

S84	18	((US-6594761-\$ or US-3656178-\$ or US-6343354-\$ or US-6094634-\$ or US-6427140-\$ or US-6253193-\$ or US-5754849-\$ or US-5530752-\$ or US-4864494-\$ or US-4120030-\$ or US-6226746-\$ or US-6157721-\$ or US-6536043-\$ or US-5778102-\$ or US-5768535-\$ or US-6151618-\$ or US-6665796-\$ or US-6065046-\$ or US-5490088-\$ or US-5446740-\$).did. or (US-20030221121-\$ or US-20030120557-\$ or US-20020073336-\$ or US-20010037450-\$ or US-20010044901-\$ or US-20030135867-\$ or US-20030182572-\$ or US-20040042506-\$).did. or (US-20020080871-\$).did.) and (compress\$3 and decompress\$4)	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/03/17 12:34
S85	6	((((US-6594761-\$ or US-3656178-\$ or US-6343354-\$ or US-6094634-\$ or US-6427140-\$ or US-6253193-\$ or US-5754849-\$ or US-5530752-\$ or US-4864494-\$ or US-4120030-\$ or US-6226746-\$ or US-6157721-\$ or US-6536043-\$ or US-5778102-\$ or US-5768535-\$ or US-6151618-\$ or US-6665796-\$ or US-6065046-\$ or US-5490088-\$ or US-5446740-\$).did. or (US-20030221121-\$ or US-20030120557-\$ or US-20020073336-\$ or US-20010037450-\$ or US-20010044901-\$ or US-20030135867-\$ or US-20030182572-\$ or US-20040042506-\$).did. or (US-20020080871-\$).did.) and (compress\$3 and decompress\$4)) and (encrypt\$4 and decrypt\$4)	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/03/17 12:52

S86	2	((US-6594761-\$ or US-3656178-\$ or US-6343354-\$ or US-6094634-\$ or US-6427140-\$ or US-6253193-\$ or US-5754849-\$ or US-5530752-\$ or US-4864494-\$ or US-4120030-\$ or US-6226746-\$ or US-6157721-\$ or US-6536043-\$ or US-5778102-\$ or US-5768535-\$ or US-6151618-\$ or US-6665796-\$ or US-6065046-\$ or US-5490088-\$ or US-5446740-\$).did. or (US-20030221121-\$ or US-20030120557-\$ or US-20020073336-\$ or US-20010037450-\$ or US-20010044901-\$ or US-20030135867-\$ or US-20030182572-\$ or US-20040042506-\$).did. or (US-20020080871-\$).did.) and (line near4 decrypt\$4)	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/03/17 12:56
S87	0	((US-6594761-\$ or US-3656178-\$ or US-6343354-\$ or US-6094634-\$ or US-6427140-\$ or US-6253193-\$ or US-5754849-\$ or US-5530752-\$ or US-4864494-\$ or US-4120030-\$ or US-6226746-\$ or US-6157721-\$ or US-6536043-\$ or US-5778102-\$ or US-5768535-\$ or US-6151618-\$ or US-6665796-\$ or US-6065046-\$ or US-5490088-\$ or US-5446740-\$).did. or (US-20030221121-\$ or US-20030120557-\$ or US-20020073336-\$ or US-20010037450-\$ or US-20010044901-\$ or US-20030135867-\$ or US-20030182572-\$ or US-20040042506-\$).did. or (US-20020080871-\$).did.) and ((line-by-line or ("line at a time") or "each line") near4 (decrypt\$4 or encrypt\$4 or encoding))	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/03/17 13:43
S88	36	((line-by-line or ("line at a time") or "each line") near4 (decrypt\$4 or encrypt\$4 or encoding))	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/03/17 13:43
S89	7	((((line-by-line or ("line at a time") or "each line") near4 (decrypt\$4 or encrypt\$4 or encoding)))) and ("709"/\$ or "717"/\$ or "713"/\$ or "714"/\$)	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/03/17 16:48

S90	7916	((717/168-178) or (713/165,200) or (375/240) or (709/1) or (705/26,57,80) or (370/521)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/17 16:52
S91	31	(US-6594761-\$ or US-3656178-\$ or US-6343354-\$ or US-6094634-\$ or US-6427140-\$ or US-6253193-\$ or US-5754849-\$ or US-5530752-\$ or US-4864494-\$ or US-4120030-\$ or US-6226746-\$ or US-6157721-\$ or US-6536043-\$ or US-5778102-\$ or US-5768535-\$ or US-6151618-\$ or US-6665796-\$ or US-6065046-\$ or US-5490088-\$ or US-5446740-\$ or US-5699428-\$ or US-6334189-\$).did. or (US-20030221121-\$ or US-20030120557-\$ or US-20020073336-\$ or US-20010037450-\$ or US-20010044901-\$ or US-20030135867-\$ or US-20030182572-\$ or US-20040042506-\$).did. or (US-20020080871-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/03/17 16:53
S92	8	((US-6594761-\$ or US-3656178-\$ or US-6343354-\$ or US-6094634-\$ or US-6427140-\$ or US-6253193-\$ or US-5754849-\$ or US-5530752-\$ or US-4864494-\$ or US-4120030-\$ or US-6226746-\$ or US-6157721-\$ or US-6536043-\$ or US-5778102-\$ or US-5768535-\$ or US-6151618-\$ or US-6665796-\$ or US-6065046-\$ or US-5490088-\$ or US-5446740-\$ or US-5699428-\$ or US-6334189-\$).did. or (US-20030221121-\$ or US-20030120557-\$ or US-20020073336-\$ or US-20010037450-\$ or US-20010044901-\$ or US-20030135867-\$ or US-20030182572-\$ or US-20040042506-\$).did. or (US-20020080871-\$).did.) and "709"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 16:54

S93	847	(709/237,247).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/17 16:54
S94	21	((((717/168-178) or (713/165,200) or (375/240) or (709/1) or (705/26,57,80) or (370/521))). CCLS.) and ((709/237,247).CCLS.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 16:55
S95	10	(((((717/168-178) or (713/165, 200) or (375/240) or (709/1) or (705/26,57,80) or (370/521))). CCLS.) and ((709/237,247).CCLS.)) and (decrypt\$4 and encrypt\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 16:57
S96	2	(((((717/168-178) or (713/165, 200) or (375/240) or (709/1) or (705/26,57,80) or (370/521))). CCLS.) and ((709/237,247).CCLS.)) and (decrypt\$4 and encrypt\$4)) and compiler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/17 17:03
S97	332	(717/140,166).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/17 17:03
S98	3	((pipelin\$3 or parallel or distribut\$4) near8 compil\$4) and ((compil\$5 near5 (partial portion subset line)) same (encrypt\$4 and decrypt\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:58
S99	12	((pipelin\$3 parallel distribut\$4 multi-staged sequential selective) near8 compil\$4) and ((compil\$5 near5 (partial portion subset line part block chunk section)) same (encrypt\$4 and decrypt\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 16:59
S100	3606	((@ad<="20001221" or @rlad<="20001221") and ((encrypt\$6 or decrypt\$4) same (file or code or source or software or bytecode)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 17:01
S101	5	S99 and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 17:26

S10 2	2	((partition\$4 parallel pipelin\$4) near8 compil\$4) same (("line-by-line" or (line near2 time)) near3 code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 17:29
S10 3	2	((partition\$4 parallel pipelin\$4) near8 compil\$4).ab. and (((line near2 time) subset) near3 code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 17:31
S10 4	6	((partition\$4 parallel pipelin\$4) near3 compil\$4).ti. and (encrypt\$4 decrypt\$4 (bytecode transmi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 17:32